

★ ★ ★  
EST. 1982



# Product Brochure

February 2023





# British Engineering Heritage


The Demtruk was originally created by British engineering enthusiast David Parkin in 1982. It was designed to solve the problem of enabling secure and effective portability to office printer field sales agents for their mobile customer demonstrations. Ever since its establishment, Demtruk has continued to service a niche market in the equipment handling sector, providing its one-of-a-kind single person operation solution to customers looking to transport heavy goods.

## Tried and Tested

From these humble beginnings, Demtruk has expanded its reach and won favour in many new markets.

From the floors of catering services and artisan coffee houses to printer and engineering equipment, the rock-solid reliability and time-tested simplicity of this heavy equipment trolley has found devoted fans worldwide.

We'd like to innovate how you move your gear by making it safer, smoother and pain-free.



## Features

- ✓ Roll-off platform top for easy vehicle loading
- ✓ Quick and easy platform height adjustment
- ✓ Removable securing straps
- ✓ Easy two step fold to collapse base
- ✓ Foot operated brake levers
- ✓ Adjustable load height and low front forks
- ✓ Quick release operator handles for stair climb
- ✓ Lower clip on storage shelf
- ✓ Extendable platform top with safety lock
- ✓ In production since 1982

### Demtruk provides a Limited 3 Year Warranty on the Demtruk 2.0

#### 1. What does this warranty cover?

This Limited 3 Year Warranty covers any defects in material or workmanship under normal use during the Warranty Period.

#### 2. What level of support?

During the Warranty Period, Demtruk will repair or replace, at no charge, products or parts of a product that proves defective because of improper material or workmanship, under normal use and maintenance.

#### 3. What does this warranty not cover?

This Limited Warranty does not cover any problem that is caused by:

- Conditions, malfunctions or damage not resulting from defects in material or workmanship
- Wheels and castors
- Standard wear and tear parts

#### 4. What is required to make a warranty claim?

Warranty claims need to occur within 36 months from date of purchase and require a valid product serial number and proof of purchase. To obtain warranty service, customers must first contact [hello@demtruk.com](mailto:hello@demtruk.com) for us to determine both the problem and the resolution.



# Contents

## Bases

KE450 Demtruk 2.0 Heavy Duty Base .....	3
KE448 Demtruk 2.0 Lightweight Base .....	4

## Tops

KE470 Small Roll-off Platform Top .....	5
KE471 Large Roll-off Platform Top .....	6
KE468 Super Slim Roll-off Platform Top .....	7
KE469 Slim Roll-off Platform Top .....	8

## Kits

Deluxe Kit - KE450 Base + KE471 Top .....	9
Standard Kit - KE450 Base + KE470 Top .....	11
Lite Kit - KE448 Base + KE469 Top .....	13
X-Truk - KE600 Base + KE601 Crate .....	15

## Side-by-Side Trolley Comparison

# KE450 Demtruk 2.0 Heavy Duty Base



## Specifications

Part Number	KE450/00
Specifications	Collapsible Base Unit 220kg / 480lb Max Load Capacity Pre-adjustable Load Height Pneumatic Rear Wheels Front & Rear Locking Wheels Clip-on & off Lower Base Shelf Front Wheel Diameter 125mm / 5" Rear Wheel Diameter 258mm / 10.1" Transport Shield Bag
Max Load	220kg / 485lb
Dimensions (L x W x H)	Folded - 995mm x 330m x 385mm (39" x 13" x 15") Upright Low - 895mm x 620mm x 700mm (35" x 24.5" x 27.5") Upright High - 895mm x 620mm x 935mm (35" x 24.5" x 37")
Weight	21.5kg / 47.4lb
Compatible Roll-off Platform Tops	Large Roll-off Platform Top - KE471/00 Small Roll-off Platform Top - KE470/00 Slim Roll-off Platform Top - KE469/00 Super Slim Roll-off Platform Top - KE468/00
Warranty	3 Year Warranty

## Shipping Information

Weight	26kg / 57.4lb
Dimensions (L x W x H)	1055mm x 345mm x 408mm (41.5" x 13.5" x 16")



# KE448 Demtruk 2.0 Lightweight Base



## Specifications

Part Number	KE448/00
Specifications	Collapsible Base Unit 150kg / 330lb Max Load Capacity Pre-adjustable Load Height Solid Rear Wheels Front & Rear Locking Wheels Clip-on & off Lower Base Shelf Front Wheel Diameter 100mm / 4" Rear Wheel Diameter 160mm / 6.3"
Max Load	150kg/330lb
Dimensions (L x W x H)	Folded - 950mm x 260mm x 380mm (37.5" x 10" x 15") Upright Low - 860mm x 500mm x 690mm (34" x 19.5" x 27") Upright High - 860mm x 500mm x 925mm (34" x 19.5" x 36.5")
Weight	17kg / 37.5lb
Compatible Roll-off Platform Tops	Small Roll Off Platform Top - KE470/00 Slim Roll Off Platform Top - KE469/00 Super Slim Roll Off Platform Top - KE468/00
Warranty	3 Year Warranty

## Shipping Information

Weight	19kg / 42lb
Dimensions (L x W x H)	1005mm x 300mm x 405mm (39.5" x 12" x 16")





# KE470 Small Roll-off Platform Top




## Specifications

Part Number	KE470/00
Specifications	Roll-off Platform Top Platform Security Lock 150mm/5.9" Platform Extender Stair Climb Handles Door Glide Protectors 2 x Load Straps
Max Load (Derived from Base)	220kg / 485lb (KE450/00 - Heavy Duty Base) 150kg/330lb (KE448/00 - Lite Base)
Dimensions (L x W x H)	850mm x 660mm x 50mm (33.5" x 26" x 2") incl. platform extension
Weight	17.7kg / 39lb
Compatible Base	Demtruk 2.0 Heavy Duty Base - KE450/00 Demtruk 2.0 Lite Base - KE448/00
Warranty	3 Year Warranty



Shipping Information	
Weight	19.2kg / 42.4lb
Dimensions (L x W x H)	990mm x 770mm x 70mm (39" x 30.5" x 2.75")



# KE471 Large Roll-off Platform Top



Specifications	
Part Number	KE471/00
Specifications	Roll-off Platform Top Platform Security Lock 150mm / 5.9" Platform Extender Stair Climb Handles Door Glide Protectors 2 x Load Straps
Max Load (Derived from Base)	220kg / 485lb
Dimensions (L x W x H)	1220mm x 660mm x 50mm (48" x 26" x 2") incl. platform extension
Weight	23.6kg / 52lb
Compatible Base	Demtruk 2.0 Heavy Duty Base - KE450/00
Warranty	3 Year Warranty
Shipping Information	
Weight	28.3kg / 62.4lb
Dimensions (L x W x H)	1195mm x 785mm x 118mm (47" x 31" x 4.5")



# KE468 Super Slim Roll-off Platform Top



## Specifications

Part Number	KE468/00
Specifications	Roll-off Platform Top Platform Security Lock 150mm / 5.9" Platform Extender Stair Climb Handles Door Glide Protectors 2 x Load Straps
Max Load (Derived from Base)	220kg / 485lb (KE450/00 - Heavy Duty Base) 150kg/330lb (KE448/00 - Lite Base)
Dimensions (L x W x H)	850mm x 500mm x 50mm (33.5" x 16.5" x 2") incl. platform extension
Weight	14.3kg / 31.5lb
Compatible Base	Demtruk 2.0 Heavy Duty Base - KE450/00 Demtruk 2.0 Lite Base - KE448/00
Warranty	3 Year Warranty

## Shipping Information

Weight	16kg / 35.3lb
Dimensions (L x W x H)	1020mm x 610mm x 70mm (40" x 24" x 2.75")





# KE469 Slim Roll-off Platform Top




## Specifications

Part Number	KE469/00
Specifications	Roll-off Platform Top Platform Security Lock 150mm / 5.9" Platform Extender Door Glide Protectors 2 x Load Straps
Max Load (Derived from Base)	220kg / 485lb (KE450/00 - Heavy Duty Base) 150kg/330lb (KE448/00 - Lite Base)
Dimensions (L x W x H)	850mm x 600mm x 50mm (33.5" x 23.5" x 2")
Weight	15.9kg / 35lb
Compatible Base	Demtruk 2.0 Heavy Duty Base - KE450/00 Demtruk 2.0 Lite Base - KE448/00
Warranty	3 Year Warranty

## Shipping Information

Weight	17.5kg / 38.5lb
Dimensions (L x W x H)	1020mm x 710mm x 75mm (40" x 28" x 2.5")



# Demtruk 2.0 Heavy Duty – Deluxe Kit



## 1 x Demtruk 2.0 Heavy Duty Base


## 1 x Demtruk Large Roll-off Platform Top

Part Number	KE450/00	Part Number	KE471/00
Specifications	Collapsible Base Unit 220kg / 480lb Max Load Capacity Pre-adjustable Load Height Pneumatic Rear Wheels Front & Rear Locking Wheels Clip-on & off Lower Base Shelf Front Wheel Diameter 120mm / 4.72" Rear Wheel Diameter 258mm / 10.1" Transport Shield Bag	Specifications	Roll-off Platform Top Platform Security Lock 150mm / 5.9" Platform Extender Stair Climb Handles Door Glide Protectors 2 x Load Straps
Max Load	220kg / 485lb	Max Load	220kg / 485lb
Dimensions (L x W x H)	Folded - 995mm x 330mm x 385mm (39" x 13" x 15") Upright Low - 895mm x 620mm x 700mm (35" x 24.5" x 27.5") Upright High - 895mm x 620mm x 935mm (35" x 24.5" x 37")	Dimensions (L x W x H)	1220mm x 660mm x 50mm (48" x 26" x 2") incl. platform extension
Weight	21.5kg / 47.4lb	Weight	23.6kg / 52lb
Warranty	3 Year Warranty	Warranty	3 Year Warranty

### Shipping Information (Product ships in 2x packages with 2x tracking numbers)

Weight	26kg / 57.4lb	Weight	28.3kg / 62.4lb
Dimensions (L x W x H)	1055mm x 410mm x 360mm (42" x 16" x 14")	Dimensions (L x W x H)	1195mm x 785mm x 118mm (47" x 31" x 4.5")

# Demtruk 2.0 Heavy Duty – Deluxe Kit



# Demtruk 2.0 Heavy Duty – Standard Kit



## 1 x Demtruk 2.0 Heavy Duty Base

<b>Part Number</b>	KE450/00
<b>Specifications</b>	Collapsible Base Unit 220kg/480lb Max Load Capacity Pre-adjustable Load Height Pneumatic Rear Wheels Front & Rear Locking Wheels Clip-on & off Lower Base Shelf Front Wheel Diameter 120mm / 4.72" Rear Wheel Diameter 258mm / 10.1" Transport Shield Bag
<b>Max Load</b>	220kg / 485lb
<b>Dimensions (L x W x H)</b>	Folded - 995mm x 330mm x 385mm (39" x 13" x 15") Upright Low - 895mm x 620mm x 700mm (35" x 24.5" x 27.5") Upright High - 895mm x 620mm x 935mm (35" x 24.5" x 37")
<b>Weight</b>	21.5kg / 47.4lb
<b>Warranty</b>	3 Year Warranty

## 1 x Demtruk Small Roll-off Platform Top


<b>Part Number</b>	KE470/00
<b>Specifications</b>	Roll-off Platform Top Platform Security Lock 150mm/5.9" Platform Extender Stair Climb Handles Door Glide Protectors 2 x Load Straps
<b>Max Load</b>	220kg / 485lb
<b>Dimensions (L x W x H)</b>	850mm x 660mm x 50mm (33.5" x 26" x 2") incl. platform extension
<b>Weight</b>	17.7kg / 39lb
<b>Warranty</b>	3 Year Warranty

## Shipping Information (Product ships in 2x packages with 2x tracking numbers)

<b>Weight</b>	26kg / 57.4lb	19.2kg / 42.4lb
<b>Dimensions (L x W x H)</b>	1055mm x 410mm x 360mm (42" x 16" x 14")	990mm x 770mm x 70mm (39" x 30.5" x 2.75")



# Demtruk 2.0 Heavy Duty – Standard Kit





# Demtruk 2.0 Lite – Kit



## 1 x Demtruk 2.0 Lightweight Base

Part Number	KE448/00
Specifications	<p>Collapsible Base Unit 150kg / 330lb Max Load Capacity Pre-adjustable Load Height Solid Rear Wheels Front &amp; Rear Locking Wheels Clip-on &amp; off Lower Base Shelf Front Wheel Diameter 95mm / 3.75" Rear Wheel Diameter 140mm / 5.51"</p>
Max Load	150kg/330lb
Dimensions (L x W x H)	<p>Folded - 950mm x 260mm x 380mm (37.5" x 10" x 15") Upright Low - 860mm x 500mm x 690mm (34" x 19.5" x 27") Upright High - 860mm x 500mm x 925mm (34" x 19.5" x 36.5")</p>
Weight	17kg / 37.5lb
Warranty	3 Year Warranty

## 1 x Demtruk Slim Roll-off Platform Top


Part Number	KE469/00
Specifications	<p>Roll-off Platform Top Platform Security Lock 150mm / 5.9" Platform Extender Door Glide Protectors 2 x Load Straps</p>
Max Load	150kg/330lb
Dimensions (L x W x H)	850mm x 600mm x 50mm (33.5" x 23.5" x 2")
Weight	15.9kg / 35lb
Warranty	3 Year Warranty

## Shipping Information (Product ships in 2x packages with 2x tracking numbers)

Weight	19kg / 42lb
Dimensions (L x W x H)	1005mm x 300mm x 405mm (39.5" x 12" x 16")

Weight	17.5kg / 38.5lb
Dimensions (L x W x H)	1020mm x 710mm x 75mm (40" x 28" x 2.5")

# Demtruk 2.0 Lite – Kit



# Demtruk X-Truk – Kit



## 1 x X-Truk Clever Folding Trolley

Part Number	KE600/00
Specifications	<p>Collapses with handle push button</p> <p>Office Filing (Foolsap Suspension Files) friendly crates</p> <p>Wheels are removable and stored under the lower shelf</p> <p>Front Wheel Diameter 80mm / 3.5"</p> <p>Rear Wheel Diameter 180mm / 7.1"</p> <p>Top shelf can be folded back for larger items</p> <p>Up to 4 crates can be stacked on the lower shelf</p> <p>Foot Brake</p> <p>Lightweight</p>
Max Load	75kg / Top Shelf: 25kg / Lower Shelf: 50kg
Dimensions (L x W x H)	<p>Folded - 785mm x 600mm x 180mm (31" x 23.5" x 7")</p> <p>Upright - 980mm x 600mm 1080mm (38.5" x 23.5" x 42.5")</p>
Weight	10.5kg / 23.2lb
Warranty	1 Year Warranty

## 1 x Plastic Collapsible Crate

Part Number	KE601/00
Specifications	<p>Collapsible</p> <p>Stackable</p> <p>Fits both shelves</p>
Max Load	-
Dimensions (L x W x H)	<p>External - 560mm x 400mm x 260mm (22" x 15.7" x 10.2")</p> <p>Internal - 525mm x 365mm x 255mm (20.7" x 14.4" x 10")</p>
Weight	1.8kg / 3.3lb
Warranty	1 Year Warranty

### Shipping Information (includes base and 1x crate, additional crates will be shipped separatly)

Weight	11.5kg / 25.4lb	2.2kg / 4.9lb
Dimensions (L x W x H)	750mm x 550mm x 175mm (29.5" x 21.5" x 7")	700mm x 500mm x 65mm (27.5" x 19.5" x 2.5")

# Demtruk X-Truk – Kit





# Side-by-Side Trolley Comparison



	Demtruk 2.0 Lite Kit	Demtruk 2.0 Standard Kit	Demtruk 2.0 Deluxe Kit	X-Truk
<b>Features</b>	<p>Roll-off Platform Top 850mm x 660mm x 50mm (33.5" x 26" x 2") Collapsible Base Unit 150kg Max Load Capacity Pre-adjustable Load Height: 700mm - 940mm 2 x Locking Wheels (Rear Only) Platform Security Lock</p>	<p>Roll-off Platform Top 850mm x 660mm x 50mm (33.5" x 26" x 2") Collapsible Base Unit 220kg Max Load Capacity Pre-adjustable Load Height: 700mm - 940mm 4 x Locking Wheels (Front and Rear) Platform Security Lock</p>	<p>Roll-off Platform Top 1220mm x 660mm x 50mm (48" x 26" x 2") Collapsible Base Unit 220kg Max Load Capacity Pre-adjustable Load Height: 700mm - 940mm 4 x Locking Wheels (Front and Rear) Platform Security Lock</p>	<p>Collapses with Handle Push Button External Dimensions: 560mm x 400mm x 260mm Internal Dimensions: 520mm x 365mm x 255mm 75kg Load Capacity Top Shelf: 25kg / Lower Shelf: 50kg Office Filing (Foolscap Suspension Files) friendly crates Wheels are removable and stored under the lower shelf Top shelf can be folded back for larger items Up to 4 crates can be stacked on the lower shelf Foot Break Lightweight</p>
<b>Weight</b>	<p>Lightweight Base Unit: 17kg / 37.5lb Platform Top: 15.9kg / 35lb Combined: 32.9kg / 72.5lb</p>	<p>Heavy Duty Base Unit: 21.5kg / 47.5lb Platform Top: 17.7kg / 39lb Combined: 39.2kg / 86.5lb</p>	<p>Heavy Duty Base Unit: 21.5kg / 47.5lb Platform Top: 32.9kg / 72.5lb Combined: 54.4kg / 119.9lb</p>	<p>Trolley: 8.4kg Crate: 1.5kg</p>
<b>Includes</b>	<p>Solid Rear Wheels Clip-on and off Lower Base Shelf 2 x Door Glide Protectors 2 x Platform Handles 2 x Load Straps Rear Locking Wheels</p>	<p>Pneumatic Rear Wheels Clip-on and off Lower Base Shelf 150mm Platform Extender 2 x Door Glide Protectors 2 x Platform Handles 2 x Stair Climb Hands 2 x Load Straps Transport Sheild Bag Front and Rear Locking Wheels</p>	<p>Pneumatic Rear Wheels Clip-on and off Lower Base Shelf 150mm Platform Extender 2 x Door Glide Protectors 2 x Platform Handles 2 x Stair Climb Hands 2 x Load Straps Transport Sheild Bag Front and Rear Locking Wheels</p>	<p>1 x X-Truk Clever Folding Trolley 1 x Collapsible Crate (Fits Both Shelves)</p>
<b>Warranty</b>	3 Year Warranty	3 Year Warranty	3 Year Warranty	1 Year Warranty



 demtruk.com  
 hello@demtruk.com



instagram



website

